

Mercedes-AMG CLA 35 (C118/X118) - OPF/GPF

Product Name: **Slip-On Line (Titanium)**

Product code: **S-ME/TI/10H**

Approval: ECE

MSRP ex. VAT: 3.190,00 €



INFO

Providing a stunning sensory experience, this lightweight exhaust is beautifully crafted from high-grade titanium and finished with an eye-catching design of two pairs of titanium and carbon-fibre tailpipes. The exhaust valve - with its housing cast in the in-house foundry - gives the sound from the exhaust a richer and higher frequency than stock, especially when shifting through the gears, all allied to a smooth sound that enhances the car's engine tones without any discomfort or drone for the occupants. A specially designed perforated manifold tube on the valve side eliminates streaming without any compromise to the pressure pulse distribution, thus offering a stronger sound. Lighter than stock due to the use of titanium and a different configuration, the design and construction of the exhaust leads to optimization in the power and torque levels throughout the entire rev range. The optimized flow path of exhaust gases provides greater tuning potential, something that can be realized further with the addition of the optional Evolution Link pipe set (SS). When installing the optional Evolution Link pipe set (SS), the ECE type approval for the Slip-On Line (Titanium) exhaust system is no longer valid.

ECE type approval is only valid for cars equipped with otto/gasoline particulate filter.

For installing the Slip-On system, the stock exhaust system must be cut. Please read the instructions carefully before starting installation.

Mercedes-AMG CLA 35 (C118/X118) - OPF/GPF

Product Name: **Slip-On Line (Titanium)**

Product code: **S-ME/TI/10H**

Approval: ECE

TECHNICAL DATA

	UNIT	STOCK	AKRAPOVIČ	MAX GAIN
maximum power	kW	222.3 / 6300 rpm	223.4 / 6350 rpm	+ 3.9 / 5100 rpm
	HP (m)	302.2 / 6300 rpm	303.7 / 6350 rpm	+ 5.3 / 5100 rpm
	HP (i)	298.1 / 6300 rpm	299.6 / 6350 rpm	+ 5.2 / 5100 rpm
maximum torque	Nm	387.0 / 5100 rpm	392.8 / 5050 rpm	+ 6.6 / 5100 rpm
	lb-ft	285.4 / 5000 rpm	289.7 / 5050 rpm	+ 4.9 / 5100 rpm
weight	kg	13.6	9.0	- 4.7
	lb	30.1	19.8	- 10.3
	%			- 34.1
installation time	min		270	

Mercedes-AMG CLA 35 (C118/X118) - OPF/GPF

Product Name: **Slip-On Line (Titanium)**

Product code: **S-ME/TI/10H**

Approval: ECE

MANDATORY PRODUCTS

No mandatory products.

OPTIONAL PRODUCTS

Product name: **Evolution Link pipe set (SS)**

Product code: **E-ME/SS/1**

MSRP ex. VAT: 790,00 €