

Porsche 911 GT3 (991)

Product Name: Evolution Race Header Set (Titanium)

Product code: E-P0/T/5

Approval: W/O

MSRP ex. VAT: 4.980,25 €





INFO

Evolution Race Header Set converts the slip-on system into a full system, built for the track and gives the Porsche GT3 the extra performance to match. Beautifully made from hi-grade titanium and with a coating, the Evolution Race Line is as striking to look at as it is use. From the handcrafted titanium headers with 100 cpsi sports catalytic convertors and titanium flanges—cast in Akrapovič's own foundry—right through to the superbly finished round titanium tailpipes, the Evolution Race Line is pure quality. The system offers a perfect power curve right from 3,000 rpm to the very top of the power band, designed to continually increase performance as the revs rise. Along with improved torque and the maximum weight savings to enhance handling, the Evolution Race Line exhaust system will have the car performing like a true cup racer—with a deep, loud, and powerful Akrapovič racing sound to match its performance. The assault on the senses from the Evolution Race Line system can be boosted even further with the addition of the perfectly handcrafted optional carbon–fibre diffuser. Made exclusively for the Porsche GT3, this beautiful add-on will make a statement both on and off the track.

When installing Akrapovič aftermarket optional link pipes with sports catalytic converters or without catalytic converters, which are developed for use on closed tracks only, remapping the ECU is mandatory. When installing Akrapovič aftermarket exhaust system that was developed for use on closed tracks, we recommend remapping the ECU in order to prevent potential »check engine light« warning signals.

THIS PRODUCT DOES NOT MEET EMISSION COMPLIANCE REQUIREMENTS FOR STREET OR HIGHWAY USE.



Porsche 911 GT3 (991)

Product Name: Evolution Race Header Set (Titanium)

Product code: **E-P0/T/5**

Approval: W/O

TECHNICAL DATA

	UNIT	STOCK	AKRAPOVIČ	MAX GAIN
maximum power	kW	345.7 / 8450 rpm	354.2 / 8400 rpm	+ 19.9 / 3950 rpm
	HP(m)	470.0 / 8450 rpm	481.6 / 8400 rpm	+ 27.1 / 3950 rpm
	HP(i)	463.6 / 8450 rpm	475.0 / 8400 rpm	+ 26.7 / 3950 rpm
maximum torque	Nm	426.2 / 3900 rpm	436.7 / 6400 rpm	+ 50.6 / 3900 rpm
	lb-ft	314.3 / 6450 rpm	322.1/ 6400 rpm	+ 37.3 / 3900 rpm
weight	kg	38.9	16.7	- 22.2
	lb	85.8	36.8	- 49.0
	%			- 57.1
installation time	min		200	